



■ DATA SHEET · MACHINE TRANSPORTER

MT 300-35 T

3.00 m loading bed, 2,945 kg payload – 3,500 kg gross vehicle weight.

TYPE PLATE		MÜLLER MACHINERY
MODEL	MT 300-35 T	
CLASS	3.5 t	
APPROVAL	EU type approval	
ISSUE	09 / 2026	



GROSS VEHICLE WEIGHT

3,500 kg

PAYLOAD

2,945 kg

LOADING BED

3.00 × 1.46 m

UNLADEN WEIGHT

555 kg

The **MT 300-35 T** is the 3.5 t tandem torsion model for the 2.6 t class: 3,500 kg gross weight minus 555 kg unladen leaves a 2,945 kg payload on a 3.00 × 1.46 m bed, so it carries up to 2.8 t including the bucket. A Müller MB 26 S at 2,780 kg fits with 165 kg in reserve. The width-adjustable rear hatch drive-on ramps are set to the track gauge of the machine, the floor is 9 mm waterproof laminated plywood, and the trailer is braked. Fully welded, hot-dip galvanised frame, built by Tiki Treiler in Estonia for Nordic conditions. EU whole-vehicle type approval with COC, ready to register in Germany. Delivery in 4 to 6 weeks.

- 01 2 × torsion, braked
- 02 Loading bed 3,000 × 1,460 mm, side height 160 mm
- 03 Width adjustable rear hatch drive-on ramps
- 04 Fully welded, hot-dip galvanised
- 05 Waterproof laminated plywood 9 mm
- 06 EU whole-vehicle type approval, COC included

AXLES

2 × torsion

BRAKES

braked

FRAME

hot-dip galvanised

APPROVAL

COC included

STATUTORY WARRANTY

2 years

WEB

muellermachinery.com

Technical data

WEIGHTS

Gross vehicle weight	3,500 kg
Unladen weight	555 kg
Payload	2,945 kg

DIMENSIONS

Loading bed length	3,000 mm
Loading bed width	1,460 mm
Side height	160 mm
Overall length	4,980 mm
Overall width	1,940 mm

CHASSIS & BODY

Axles	2 × torsion
Brakes	Yes
Tyres	195/50R13C 104N
Frame	Fully welded, hot-dip galvanised
Floor	Waterproof laminated plywood 9 mm
Loading ramps	Width adjustable rear hatch drive-on ramps

MANUFACTURER & APPROVAL

Manufacturer	Tiki Treiler (Aktiaselts Bestnet), Paldiski, Estonia
Type approval	EU whole-vehicle type approval, COC included
Importer	Müller Machinery

Manufacturer data, Tiki Treiler. Payload = gross vehicle weight – unladen weight. The towing capacity of your vehicle must cover the actual weight of trailer and load.

Towing vehicle & driving licence

The licence category follows the trailer's **registered** gross vehicle weight, not its load; your towing vehicle's towing capacity must carry trailer and load. The documents of towing vehicle and trailer are decisive – this note is not legal advice.



01 RAMP RAISED



02 REAR VIEW



03 DRIVE-ON RAMP · DETAIL

Equipment & purchase

Standard equipment

✓ Fully welded frame	✓ Hot-dip galvanised and passivated components – especially high corrosion resistance
✓ Reinforced jockey wheel 250 kg, solid rubber	✓ Floor of 9 mm waterproof laminated plywood
✓ Adjustable rear jacks	✓ Step-on metal fenders
✓ Reinforced step boards	✓ Rear hatch with drive-on ramps, adjustable in width
✓ 3 + 3 lashing eyes, tensile strength 1,000 kg	✓ 4 + 4 lashing eyes on the outside of the box
✓ 13-pin plug	

How to buy safely

Your contracting party is Wensday Invest Sp. z o. o., KRS 0001008813 – a registered company, not an anonymous number.

STEP 1

Written quotation

Binding and fully itemised, with the full scope of delivery.

STEP 2

Order confirmation

With delivery date (4–6 weeks).

STEP 3

Payment

By bank transfer with a 4.4 % discount on the list price – your offer sets out the payment methods.

STEP 4

Delivery & registration

Delivery to your address; the COC certificate is enclosed.

Statutory warranty

Statutory warranty of two years from delivery, given by Müller Machinery – a division of Wensday Invest Sp. z o. o. Trailers carry no factory warranty and no MüllerCare package. With the COC certificate you register the trailer at your local registration authority.

REQUEST A QUOTATION

Your written quotation for the MT 300-35 T

[Request your quotation →](#)

PHONE

+49 176 30536502

E-MAIL

info@muellermachinery.com



Müller Machinery – a division of

Wensday Invest Sp. z o. o. · KRS 0001008813

Św. Marcin 29/8, 61-806 Poznań, Poland · VAT PL7831870813