



■ DATA SHEET · MACHINE TRANSPORTER

MT 250-18 S MESH

2.49 m loading bed, 1,425 kg payload – 1,800 kg gross vehicle weight.

TYPE PLATE	MÜLLER MACHINERY
MODEL	MT 250-18 S Mesh
CLASS	1.8 t
APPROVAL	EU type approval
ISSUE	09 / 2026



GROSS VEHICLE WEIGHT	PAYLOAD	LOADING BED	UNLADEN WEIGHT
1,800 kg	1,425 kg	2.49 × 1.26 m	375 kg

The **MT 250-18 S Mesh** is the light single-axle model: 1,800 kg gross weight minus 375 kg unladen leaves a 1,425 kg payload on a 2.49 × 1.26 m bed. That covers micro and 1-tonne class mini excavators such as the Müller MB 10 (around 1,000 kg) or MB 12 (around 1,200 kg) with reserve for the bucket, plus plate compactors and walk-behind machines. The open steel mesh floor lets mud and water drain, loading is over a reinforced drive-on ramp, and the single torsion axle is braked. Fully welded, hot-dip galvanised frame, built by Tiki Treiler in Estonia for Nordic conditions. EU whole-vehicle type approval with COC, ready to register in Germany. Delivery in 4 to 6 weeks.

- 01 1 × torsion, braked
- 02 Loading bed 2,490 × 1,260 mm, side height 160 mm
- 03 Reinforced drive-on ramp
- 04 Fully welded, hot-dip galvanised
- 05 Steel mesh (open floor)
- 06 EU whole-vehicle type approval, COC included

AXLES	BRAKES	FRAME	APPROVAL	STATUTORY WARRANTY	WEB
1 × torsion	braked	hot-dip galvanised	COC included	2 years	muellermachinery.com

Technical data

WEIGHTS

Gross vehicle weight	1,800 kg
Unladen weight	375 kg
Payload	1,425 kg

DIMENSIONS

Loading bed length	2,490 mm
Loading bed width	1,260 mm
Side height	160 mm
Overall length	4,190 mm
Overall width	1,680 mm

CHASSIS & BODY

Axles	1 x torsion
Brakes	Yes
Tyres	155/70 R12C 104N 5 x 112 M+S
Frame	Fully welded, hot-dip galvanised
Floor	Steel mesh (open floor)
Loading ramps	Reinforced drive-on ramp

MANUFACTURER & APPROVAL

Manufacturer	Tiki Treiler (Aktiaselts Bestnet), Paldiski, Estonia
Type approval	EU whole-vehicle type approval, COC included
Importer	Müller Machinery

Manufacturer data, Tiki Treiler. Payload = gross vehicle weight – unladen weight. The towing capacity of your vehicle must cover the actual weight of trailer and load.

Towing vehicle & driving licence

The licence category follows the trailer's **registered** gross vehicle weight, not its load; your towing vehicle's towing capacity must carry trailer and load. The documents of towing vehicle and trailer are decisive – this note is not legal advice.



01 RAMP RAISED



02 REAR VIEW



03 DRIVE-ON RAMPs LOWERED

Equipment & purchase

Standard equipment

✓	Hot-dip galvanised and passivated components — especially high corrosion resistance
✓	Reinforced jockey wheel 250 kg, solid rubber
✓	Reinforced drive-on ramp
✓	Durable M+S tyres

✓	Fully welded frame
✓	Adjustable rear jacks
✓	4 + 4 lashing eyes on the outside of the box
✓	13-pin plug

How to buy safely

Your contracting party is Wensday Invest Sp. z o. o., KRS 0001008813 — a registered company, not an anonymous number.

STEP 1

Written quotation

Binding and fully itemised, with the full scope of delivery.

STEP 2

Order confirmation

With delivery date (4–6 weeks).

STEP 3

Payment

By bank transfer with a 4.4 % discount on the list price — your offer sets out the payment methods.

STEP 4

Delivery & registration

Delivery to your address; the COC certificate is enclosed.

Statutory warranty

Statutory warranty of two years from delivery, given by Müller Machinery — a division of Wensday Invest Sp. z o. o. Trailers carry no factory warranty and no MüllerCare package. With the COC certificate you register the trailer at your local registration authority.

REQUEST A QUOTATION

Your written quotation for the **MT 250-18 S Mesh**

[Request your quotation →](#)

PHONE

+49 176 30536502

E-MAIL

info@muellermachinery.com



Müller Machinery — a division of

Wensday Invest Sp. z o. o. · KRS 0001008813

Św. Marcin 29/8, 61-806 Poznań, Poland · VAT PL7831870813