



■ DATA SHEET · MACHINE TRANSPORTER

MT 300-35 TW

3.02 m loading bed, 2,920 kg payload – 3,500 kg gross vehicle weight.

TYPE PLATE	MÜLLER MACHINERY
MODEL	MT 300-35 TW
CLASS	3.5 t
APPROVAL	EU type approval
ISSUE	09 / 2026



GROSS VEHICLE WEIGHT

3,500 kg

PAYLOAD

2,920 kg

LOADING BED

3.02 × 1.61 m

UNLADEN WEIGHT

580 kg

The **MT 300-35 TW** is the wide-bed version of the 3.5 t tandem torsion transporter: the bed measures 3.02 × 1.61 m, and 3,500 kg gross weight minus 580 kg unladen leaves a 2,920 kg payload, enough for machines up to 2.8 t including the bucket. The extra width suits mini excavators with a wider track gauge; a Müller MB 26 S at 2,780 kg still leaves 140 kg for the bucket. Width-adjustable rear hatch drive-on ramps, 9 mm waterproof laminated plywood floor, brakes, 2.01 m overall width. Fully welded, hot-dip galvanised frame, built by Tiki Treiler in Estonia. EU whole-vehicle type approval with COC, ready to register in Germany. Delivery in 4 to 6 weeks.

- 01 2 × torsion, braked
- 02 Loading bed 3,020 × 1,610 mm, side height 160 mm
- 03 Width adjustable rear hatch drive-on ramps
- 04 Fully welded, hot-dip galvanised
- 05 Waterproof laminated plywood 9 mm
- 06 EU whole-vehicle type approval, COC included

AXLES

2 × torsion

BRAKES

braked

FRAME

hot-dip galvanised

APPROVAL

COC included

STATUTORY WARRANTY

2 years

WEB

muellermachinery.com

Technical data

WEIGHTS

Gross vehicle weight	3,500 kg
Unladen weight	580 kg
Payload	2,920 kg

DIMENSIONS

Loading bed length	3,020 mm
Loading bed width	1,610 mm
Side height	160 mm
Overall length	5,020 mm
Overall width	2,010 mm

CHASSIS & BODY

Axles	2 x torsion
Brakes	Yes
Tyres	195/50R13C 104N
Frame	Fully welded, hot-dip galvanised
Floor	Waterproof laminated plywood 9 mm
Loading ramps	Width adjustable rear hatch drive-on ramps

MANUFACTURER & APPROVAL

Manufacturer	Tiki Treiler (Aktiaselts Bestnet), Paldiski, Estonia
Type approval	EU whole-vehicle type approval, COC included
Importer	Müller Machinery

Manufacturer data, Tiki Treiler. Payload = gross vehicle weight – unladen weight. The towing capacity of your vehicle must cover the actual weight of trailer and load.

Towing vehicle & driving licence

The licence category follows the trailer's **registered** gross vehicle weight, not its load; your towing vehicle's towing capacity must carry trailer and load. The documents of towing vehicle and trailer are decisive – this note is not legal advice.



01 RAMP RAISED



02 REAR VIEW



03 DRIVE-ON RAMP • DETAIL

Equipment & purchase

Standard equipment

✓	Hot-dip galvanised and passivated components — especially high corrosion resistance
✓	Reinforced jockey wheel 250 kg, solid rubber
✓	Adjustable rear jacks
✓	Reinforced step boards
✓	4 + 4 lashing eyes on the outside of the box
✓	13-pin plug

✓	Fully welded frame
✓	Floor of 9 mm waterproof laminated plywood
✓	Step-on metal fenders
✓	Rear hatch with drive-on ramps, adjustable in width
✓	3 + 3 lashing eyes, tensile strength 1,000 kg

How to buy safely

Your contracting party is Wensday Invest Sp. z o. o., KRS 0001008813 — a registered company, not an anonymous number.

STEP 1

Written quotation

Binding and fully itemised, with the full scope of delivery.

STEP 2

Order confirmation

With delivery date (4–6 weeks).

STEP 3

Payment

By bank transfer with a 4.4 % discount on the list price — your offer sets out the payment methods.

STEP 4

Delivery & registration

Delivery to your address; the COC certificate is enclosed.

Statutory warranty

Statutory warranty of two years from delivery, given by Müller Machinery — a division of Wensday Invest Sp. z o. o. Trailers carry no factory warranty and no MüllerCare package. With the COC certificate you register the trailer at your local registration authority.

REQUEST A QUOTATION

Your written quotation for the MT 300-35 TW

[Request your quotation →](#)

PHONE

+49 176 30536502

E-MAIL

info@muellermachinery.com



Müller Machinery — a division of

Wensday Invest Sp. z o. o. · KRS 0001008813

Św. Marcin 29/8, 61-806 Poznań, Poland · VAT PL7831870813