



■ DATA SHEET · MACHINE TRANSPORTER

MT 300-30 TL

3.00 m loading bed, 2,385 kg payload – 2,990 kg gross vehicle weight.

TYPE PLATE	MÜLLER MACHINERY
MODEL	MT 300-30 TL
CLASS	3.0 t
APPROVAL	EU type approval
ISSUE	09 / 2026



GROSS VEHICLE WEIGHT

2,990 kg

PAYLOAD

2,385 kg

LOADING BED

3.00 × 1.50 m

UNLADEN WEIGHT

605 kg

The **MT 300-30 TL** is the 3 m leaf-spring model for 1.8 to 2.2 t mini excavators: 2,990 kg gross weight minus 605 kg unladen leaves a 2,385 kg payload on a 3.00 × 1.50 m bed with 290 mm sides. A Müller MB 18 at 1,875 kg loads with its bucket and keeps 510 kg in reserve for spare buckets or a plate compactor. The floor is 18 mm waterproof laminated plywood, loading is over reinforced drive-on ramps, the tandem leaf-spring axles are braked, and the gross weight can be registered at 2,840 or 2,990 kg. Fully welded, hot-dip galvanised frame, built by Tiki Treiler in Estonia. EU whole-vehicle type approval with COC, ready to register in Germany. Delivery in 4 to 6 weeks.

- 01 2 × leaf spring, braked
- 02 Loading bed 3,000 × 1,500 mm, side height 290 mm
- 03 Reinforced drive-on ramps
- 04 Fully welded, hot-dip galvanised
- 05 Waterproof laminated plywood 18 mm
- 06 EU whole-vehicle type approval, COC included

AXLES

2 × leaf spring

BRAKES

braked

FRAME

hot-dip galvanised

APPROVAL

COC included

STATUTORY WARRANTY

2 years

WEB

muellermachinery.com

Technical data

WEIGHTS

Gross vehicle weight	2,990 kg
Unladen weight	605 kg
Payload	2,385 kg
GVW options at registration	2,840 / 2,990 kg

DIMENSIONS

Loading bed length	3,000 mm
Loading bed width	1,500 mm
Side height	290 mm
Overall length	4,810 mm
Overall width	2,000 mm

CHASSIS & BODY

Axles	2 × leaf spring
Brakes	Yes
Tyres	165R13C 96N
Frame	Fully welded, hot-dip galvanised
Floor	Waterproof laminated plywood 18 mm
Loading ramps	Reinforced drive-on ramps

MANUFACTURER & APPROVAL

Manufacturer	Tiki Treiler (Aktiaselts Bestnet), Paldiski, Estonia
Type approval	EU whole-vehicle type approval, COC included
Importer	Müller Machinery

Manufacturer data, Tiki Treiler. Payload = gross vehicle weight – unladen weight. The towing capacity of your vehicle must cover the actual weight of trailer and load.

Towing vehicle & driving licence

The licence category follows the trailer's **registered** gross vehicle weight, not its load; your towing vehicle's towing capacity must carry trailer and load. The documents of towing vehicle and trailer are decisive – this note is not legal advice. The gross vehicle weight is chosen at registration (options in the weights table).



01 RAMP RAISED



02 REAR VIEW



03 DRAWBAR - JOCKEY WHEEL

Equipment & purchase

Standard equipment

✓ Durable welded frame, hot-dip galvanised

✓ Jockey wheel 250 kg

✓ Step boards

✓ Bucket support

✓ 4 + 4 lashing eyes on the outside of the box

✓ Floor of 18 mm waterproof laminated plywood

✓ Step-on metal fenders

✓ Reinforced drive-on ramps

✓ 2 + 2 lashing eyes on the top edge of the box

✓ 13-pin plug

How to buy safely

Your contracting party is Wensday Invest Sp. z o. o., KRS 0001008813 — a registered company, not an anonymous number.

STEP 1

Written quotation

Binding and fully itemised, with the full scope of delivery.

STEP 2

Order confirmation

With delivery date (4–6 weeks).

STEP 3

Payment

By bank transfer with a 4.4 % discount on the list price — your offer sets out the payment methods.

STEP 4

Delivery & registration

Delivery to your address; the COC certificate is enclosed.

Statutory warranty

Statutory warranty of two years from delivery, given by Müller Machinery — a division of Wensday Invest Sp. z o. o. Trailers carry no factory warranty and no MüllerCare package. With the COC certificate you register the trailer at your local registration authority.

REQUEST A QUOTATION

Your written quotation for the MT 300-30 TL

[Request your quotation →](#)

PHONE

+49 176 30536502

E-MAIL

info@muellermachinery.com


Müller Machinery — a division of

Wensday Invest Sp. z o. o. · KRS 0001008813

Św. Marcin 29/8, 61-806 Poznań, Poland · VAT PL7831870813