



■ DATA SHEET · MACHINE TRANSPORTER

MT 385-35 TL MESH

3.81 m loading bed, 2,590 kg payload – 3,500 kg gross vehicle weight.

TYPE PLATE	MÜLLER MACHINERY
MODEL	MT 385-35 TL Mesh
CLASS	3.5 t
APPROVAL	EU type approval
ISSUE	09 / 2026



GROSS VEHICLE WEIGHT	PAYLOAD	LOADING BED	UNLADEN WEIGHT
3,500 kg	2,590 kg	3.81 × 1.80 m	910 kg

The **MT 385-35 TL Mesh** is the 3.8 m leaf-spring transporter with an open steel mesh floor, so mud from tracked machines drains through instead of collecting on the deck. 3,500 kg gross weight minus 910 kg unladen leaves a 2,590 kg payload on a 3.81 × 1.80 m bed with 280 mm sides, for excavators, wheeled dumpers and compact wheel loaders up to around 2.5 t. Reinforced drive-on ramp, braked tandem leaf-spring axles, gross weight registrable at 2,700, 3,000, 3,100, 3,200, 3,300, 3,400 or 3,500 kg. Fully welded, hot-dip galvanised frame, built by Tiki Treiler in Estonia. EU whole-vehicle type approval with COC, ready to register in Germany. Delivery in 4 to 6 weeks.

- 01 2 × leaf spring, braked
- 02 Loading bed 3,810 × 1,800 mm, side height 280 mm
- 03 Reinforced drive-on ramp
- 04 Fully welded, hot-dip galvanised
- 05 Steel mesh (open floor)
- 06 EU whole-vehicle type approval, COC included

AXLES	BRAKES	FRAME	APPROVAL	STATUTORY WARRANTY	WEB
2 × leaf spring	braked	hot-dip galvanised	COC included	2 years	muellermachinery.com

Technical data

WEIGHTS

Gross vehicle weight	3,500 kg
Unladen weight	910 kg
Payload	2,590 kg
GVW options at registration	2,700, 3,000, 3,100, 3,200, 3,300, 3,400, 3,500 kg

DIMENSIONS

Loading bed length	3,810 mm
Loading bed width	1,800 mm
Side height	280 mm
Overall length	5,700 mm
Overall width	2,360 mm

CHASSIS & BODY

Axles	2 × leaf spring
Brakes	Yes
Tyres	185/70R13C 106N
Frame	Fully welded, hot-dip galvanised
Floor	Steel mesh (open floor)
Loading ramps	Reinforced drive-on ramp

MANUFACTURER & APPROVAL

Manufacturer	Tiki Treiler (Aktisielts Bestnet), Paldiski, Estonia
Type approval	EU whole-vehicle type approval, COC included
Importer	Müller Machinery

Manufacturer data, Tiki Treiler. Payload = gross vehicle weight – unladen weight. The towing capacity of your vehicle must cover the actual weight of trailer and load.

Towing vehicle & driving licence


The licence category follows the trailer's **registered** gross vehicle weight, not its load; your towing vehicle's towing capacity must carry trailer and load. The documents of towing vehicle and trailer are decisive — this note is not legal advice. The gross vehicle weight is chosen at registration (options in the weights table).



01 RAMP RAISED



02 DRIVE-ON RAMPs LOWERED



03 MESH FLOOR • DETAIL

Equipment & purchase

Standard equipment

✓ Durable welded frame, hot-dip galvanised

✓ Step-on metal fenders

✓ Reinforced drive-on ramp

✓ 2 + 2 lashing hooks on the box floor

✓ Durable M+S tyres

✓ Jockey wheel 250 kg

✓ Step boards

✓ Bucket support

✓ 4 + 4 lashing eyes on the outside of the box

✓ 13-pin plug

How to buy safely

Your contracting party is Wensday Invest Sp. z o. o., KRS 0001008813 — a registered company, not an anonymous number.

STEP 1

Written quotation

Binding and fully itemised, with the full scope of delivery.

STEP 2

Order confirmation

With delivery date (4–6 weeks).

STEP 3

Payment

By bank transfer with a 4.4 % discount on the list price — your offer sets out the payment methods.

STEP 4

Delivery & registration

Delivery to your address; the COC certificate is enclosed.

Statutory warranty

Statutory warranty of two years from delivery, given by Müller Machinery — a division of Wensday Invest Sp. z o. o. Trailers carry no factory warranty and no MüllerCare package. With the COC certificate you register the trailer at your local registration authority.

REQUEST A QUOTATION

Your written quotation for the MT 385-35 TL Mesh

[Request your quotation →](#)

PHONE

+49 176 30536502

E-MAIL

info@muellermachinery.com


Müller Machinery — a division of

Wensday Invest Sp. z o. o. · KRS 0001008813

Św. Marcin 29/8, 61-806 Poznań, Poland · VAT PL7831870813